ELSEVIER

Analytica Chimica Acta 536 (2005) 303–305

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author index

Abdel-Fadeel, M.A., see El-Shahawi, M.S. 227
Aboul-Enein, H.Y., see Chilmonczyk, Z. 7
Agrawal, H., see Kaul, N. 49
Alegría, J.S.D., see Pradana Pérez, J.A. 115
Alvarez, L., see Moreno, L. 91
Andersen, H.J., see Bertram, H.C. 1
Arwin, H., see Piacham, T. 191
Avdalovic, N., see Cheng, J. 267

Bermejo-Barrera, A., see Otero-Romaní, J. 213
Bermejo-Barrera, P., see Otero-Romaní, J. 213
Bermudo, E.
—, Ruiz-Calero, V., Puignou, L. and Galceran, M.T.
Analysis of heterocyclic amines in chicken by liquid chromatography with electrochemical detection 83
Bertram, H.C.
—, Kristensen, N.B., Malmendal, A., Nielsen, N.C., Bro, R., Andersen, H.J. and Harmon, D.L.
A metabolomic investigation of splanchnic metabolism using ^{1}H NMR spectroscopy of bovine blood plasma 1
Bro, R., see Bertram, H.C. 1

Campíns-Falcó, P., see Meseguer-Lloret, S. 121
Chen, J., see He, H. 15
Chen, M., see Li, Y.-G. 29
Chen, S., see Ding, F. 171
Cheng, J.
—, Jandik, P. and Avdalovic, N.
Pulsed amperometric detection of sulfide, cyanide, iodide, thiosulfate, bromide and thiocyanate with microfabricated disposable silver working electrodes in ion chromatography 267
Chilmonczyk, Z.
—, Ksycińska, H., Lisowaka-Kuźmicz, M., Jończyk, A., Mazgajska, M., Jarończyk, M., Strzelczyk, A. and Aboul-Enein, H.Y.
Structure–enantioselectivity relationship of hypnotic-sedative 1,4-disubstituted piperazine derivatives on cellulose tris(4-methylbenzoate) chiral stationary phase 7
Chojak, M., see Lewera, A. 275
Chomchoei, R.
—, Miró, M., Hansen, E.H. and Shiowatana, J.
Sequential injection system incorporating a micro-extraction column for automatic fractionation of metal ions in solid samples. Comparison of the extraction profiles when employing uni-, bi-, and multi-bi-directional flow plus stopped-flow sequential extraction modes 183
Chowdhury, S., see Kumar, P. 135
Croué, J.P., see Miège, C. 259

Daniel, S.
—, Prabhakara Rao, P. and Prasada Rao, T.
Investigation of different polymerization methods on the analytical performance of palladium(II) ion imprinted polymer materials 197
Deng, C.
—, Yao, N., Wang, A. and Zhang, X.
Determination of essential oil in a traditional Chinese medicine, *Fructus amomi* by pressurized hot water extraction followed by liquid-phase microextraction and gas chromatography–mass spectrometry 237
Dhaneshwar, S.R., see Kaul, N. 49
Dimotikali, D., see Triantis, T. 101
Ding, F.
—, Zhao, H., Chen, S., Ouyang, J. and Jin, L.
Study of the interaction of nucleic acid with europium(III) and CTMAB and determination of nucleic acids at nanogram levels by the second-order scattering 171
Dou, J., see Li, L. 21
Dworzanski, J.P., see Snyder, A.P. 283

El-Shahawi, M.S.
—, Othman, A.M., Nassef, H.M. and Abdel-Fadeel, M.A.
An investigation into the retention profile and kinetics of sorption of the ternary complex ion associate of uranyl ions with crown ether and picric acid by the polyurethane foams 227

Fekete, J., see Forlay-Frick, P. 71
Feng, Y.-Q., see Yu, Q.-W. 39
Forlay-Frick, P.
—, Fekete, J. and Héberger, K.
Classification and replacement test of HPLC systems using principal component analysis 71

Galceran, M.T., see Bermudo, E. 83
Gargallo, R., see Kumar, P. 135
Garric, J., see Miège, C. 259
Gil Libarona, M.A.
— and Iñón, F.A.
On the use of a small synthetic calibration set for the simultaneous spectrophotometric multivariate determination of Ca^{2+} and Mg^{2+} in groundwater: chemical and spectral considerations 159

Habu, N., see Ikehara, T. 129
Hansen, E.H., see Chomchoei, R. 183
Harmon, D.L., see Bertram, H.C. 1
Hashimoto, S., see Otaka, H. 301
He, H.
—, Xu, X., Zhang, D. and Chen, J.
Enantioseparation of alkyl tropate by high performance liquid chromatography using (2*R*, 3*R*)-di-*n*-propyl tartrate 15
He, Y.-Z., see Hu, Y.-Y. 251
Héberger, K., see Forlay-Frick, P. 71
Hernando, P.F., see Pradana Pérez, J.A. 115
Heyden, Y.V., see Li, Y.-G. 29
Hiraide, M., see Saitoh, T. 179

doi:10.1016/S0003-2670(05)00543-X

Hu, Y.-Y.
—, He, Y.-Z., Qian, L.-L. and Wang, L.
On-line ion pair solid-phase extraction of electrokinetic multicommutation for determination of trace anion surfactants in pond water 251
Hu, Z.-B., see Li, Y.-G. 29
Huang, Y., see Wu, F. 107

Ikehara, T.
—, Habu, N., Nishino, I. and Kamimori, H.
Determination of hydroxyproline in rat urine by high-performance liquid chromatography with electrogenerated chemiluminescence detection using tris(2,2′-bipyridyl) ruthenium(II) 129
Imperiale, F., see Moreno, L. 91
Iñón, F.A., see Gil Libarona, M.A. 159

Jandik, P., see Cheng, J. 267
Jarończyk, M., see Chilmonczyk, Z. 7
Jiang, S.-J., see Ueng, R.-L. 295
Jin, L., see Ding, F. 171
Jończyk, A., see Chilmonczyk, Z. 7
Josell, Å., see Piacham, T. 191

Kakad, A., see Kaul, N. 49
Kamimori, H., see Ikehara, T. 129
Kanchan, K., see Kumar, P. 135
Kaul, N.
—, Agrawal, H., Kakad, A., Dhaneshwar, S.R. and Patil, B.
Stress degradation studies on etamsylate using stability-indicating chromatographic methods 49
Kristensen, N.B., see Bertram, H.C. 1
Ksycińska, H., see Chilmonczyk, Z. 7
Kulesza, P.J., see Lewera, A. 275
Kumar, P.
—, Kanchan, K., Gargallo, R. and Chowdhury, S.
Application of multivariate curve resolution for the study of folding processes of DNA monitored by fluorescence resonance energy transfer 135

Lanusse, C., see Moreno, L. 91
Lewera, A.
—, Zukowska, G., Miecznikowski, K., Chojak, M., Wieczorek, W. and Kulesza, P.J.
Solid-state electroanalytical characterization of the nonaqueous proton-conducting redox gel containing polyoxometallates 275
Li, L.
—, Tsao, R., Dou, J., Song, F., Liu, Z. and Liu, S.
Detection of saponins in extract of *Panax notoginseng* by liquid chromatography–electrospray ionisation-mass spectrometry 21
Li, Q., see Wu, F. 107
Li, Y.
—, Zhang, T. and Liang, P.
Application of continuous-flow liquid-phase microextraction to the analysis of volatile halohydrocarbons in water 245
Li, Y.-G.
—, Liu, H., Heyden, Y.V., Chen, M., Wang, Z.-T. and Hu, Z.-B.
Robustness tests on the United States Pharmacopoeia XXVI HPLC assay for ginsenosides in Asian and American ginseng using an experimental design 29
Liang, G.-X., see Zhang, Z.-Q. 145
Liang, P., see Li, Y. 245
Lisowaka-Kuźmicz, M., see Chilmonczyk, Z. 7
Liu, H., see Li, Y.-G. 29
Liu, S., see Li, L. 21
Liu, Z., see Li, L. 21

Malmendal, A., see Bertram, H.C. 1
Maswadeh, W.M., see Snyder, A.P. 283
Mazgajska, M., see Chilmonczyk, Z. 7
Meseguer-Lloret, S.
—, Molins-Legua, C. and Campíns-Falcó, P.
Selective determination of ammonium in water based on HPLC and chemiluminescence detection 121
Miecznikowski, K., see Lewera, A. 275
Miège, C.
—, Ravelet, C., Croué, J.P. and Garric, J.
Semi-permeable membrane device efficiency for sampling free soluble fraction of polycyclic aromatic hydrocarbons 259
Miró, M., see Chomchoei, R. 183
Molina, A.A., see Murillo Pulgarín, J.A. 153
Molins-Legua, C., see Meseguer-Lloret, S. 121
Moreda-Piñeiro, A., see Otero-Romaní, J. 213
Moreno, L.
—, Imperiale, F., Mottier, L., Alvarez, L. and Lanusse, C.
Comparison of milk residue profiles after oral and subcutaneous administration of benzimidazole anthelmintics to dairy cows 91
Mottier, L., see Moreno, L. 91
Murillo Pulgarín, J.A.
—, Molina, A.A. and Pardo, M.T.A.
Fluorescence characteristics of several whey samples subjected to different treatments and conditions 153

Nan, J.
— and Yan, X.-P.
On-line dynamic two-dimensional admicelles solvent extraction coupled to electrothermal atomic absorption spectrometry for determination of chromium(VI) in drinking water 207
Nassef, H.M., see El-Shahawi, M.S. 227
Nielsen, N.C., see Bertram, H.C. 1
Nishino, I., see Ikehara, T. 129

Otaka, H.
— and Hashimoto, S.
Erratum to "Fast matrix digestion with hot ethanolic alkali plus-pyrogallol for polychlorinated dibenzo-*p*-dioxins, polychlorinated dibenzofurans and coplanar polychlorinated biphenyls analysis in biological samples". [Analytica Chimica Acta 509 (2004) 21–26] 301
Otero-Romaní, J.
—, Moreda-Piñeiro, A., Bermejo-Barrera, A. and Bermejo-Barrera, P.
Evaluation of commercial C18 cartridges for trace elements solid phase extraction from seawater followed by inductively coupled plasma-optical emission spectrometry determination 213
Othman, A.M., see El-Shahawi, M.S. 227
Ouyang, J., see Ding, F. 171

Papadopoulos, K., see Triantis, T. 101
Pardo, M.T.A., see Murillo Pulgarín, J.A. 153
Patil, B., see Kaul, N. 49
Pavithran, R.
— and Reddy, M.L.P.
Steric effects of polymethylene chain of 4-acylbis(pyrazolones) on the solvent extraction of trivalent lanthanoids: synergistic effect with mono and bifunctional neutral organophosphorus extractants 219
Piacham, T.
—, Josell, Å., Arwin, H., Prachayasittikul, V. and Ye, L.
Molecularly imprinted polymer thin films on quartz crystal microbalance using a surface bound photo-radical initiator 191
Prabhakara Rao, P., see Daniel, S. 197
Prachayasittikul, V., see Piacham, T. 191
Pradana Pérez, J.A.
—, Alegría, J.S.D., Hernando, P.F. and Sierra, A.N.
Chemiluminescent determination of vanadium(IV) using a cinchomeronic hydrazide–H_2O_2 system and flow injection analysis 115
Prasada Rao, T., see Daniel, S. 197
Puignou, L., see Bermudo, E. 83

Qian, L.-L., see Hu, Y.-Y. 251

Ravelet, C., see Miège, C. 259
Reddy, M.L.P., see Pavithran, R. 219
Ruiz-Calero, V., see Bermudo, E. 83

Sahayam, A.C., see Ueng, R.-L. 295
Saitoh, T.
—, Sekino, A. and Hiraide, M.
Manipulate fluid in microchannels with thermo-responsive film 179
Sekino, A., see Saitoh, T. 179
Shi, Z.-G., see Yu, Q.-W. 39
Shiowatana, J., see Chomchoei, R. 183
Sierra, A.N., see Pradana Pérez, J.A. 115
Snyder, A.P.
—, Tripathi, A., Dworzanski, J.P., Maswadeh, W.M. and Wick, C.H.
Characterization of microorganisms by thermogravimetric analysis–mass spectrometry 283
Song, F., see Li, L. 21
Stelakis, A., see Triantis, T. 101
Strzelczyk, A., see Chilmonczyk, Z. 7

Triantis, T.
—, Stelakis, A., Dimotikali, D. and Papadopoulos, K.
Investigations on the antioxidant activity of fruit and vegetable aqueous extracts on superoxide radical anion using chemiluminescence techniques 101
Tripathi, A., see Snyder, A.P. 283
Tsao, R., see Li, L. 21

Ueng, R.-L.
—, Jiang, S.-J., Wan, C.-C. and Sahayam, A.C.
Microwave-assisted volatilization of silicon fluorides for the determination of trace impurities in high purity silicon powder and quartz by ICP-MS 295

Wan, C.-C., see Ueng, R.-L. 295
Wang, A., see Deng, C. 237
Wang, L., see Hu, Y.-Y. 251
Wang, Z.-T., see Li, Y.-G. 29
Wick, C.H., see Snyder, A.P. 283
Wieczorek, W., see Lewera, A. 275
Wu, F.
—, Huang, Y. and Li, Q.
Animal tissue-based chemiluminescence sensing of uric acid 107

Xu, X., see He, H. 15

Yan, X.-P., see Nan, J. 207
Yang, J., see Yu, Q.-W. 39
Yao, N., see Deng, C. 237
Ye, L., see Piacham, T. 191
Yu, Q.-W.
—, Feng, Y.-Q., Shi, Z.-G. and Yang, J.
HPLC separation of fullerenes on the stationary phases of two Lewis bases modified magnesia–zirconia 39

Zhang, D., see He, H. 15
Zhang, T., see Li, Y. 245
Zhang, X., see Deng, C. 237
Zhang, Z.-Q.
— and Liang, G.-X.
Flow injection on-line oxidizing fluorometry coupled to dialysis sampling for the study of carbamazepine–protein binding 145
Zhao, H., see Ding, F. 171
Zukowska, G., see Lewera, A. 275